

Pediatrics QuickREF for 2026 Learning Objectives

*Learning Objective 29: Coagulation Disorders

Page 23, Deep Dive > Management

<i>Text currently reads:</i>	<i>Text should read:</i>
<ul style="list-style-type: none">• Hemophilia A and B—factor replacement cornerstone:	<ul style="list-style-type: none">• Hemophilia A and B—factor replacement is cornerstone:

*Learning Objective 03: Eating Disorders

Page 68, Deep Dive > Evaluation

<i>Text currently reads:</i>	<i>Text should read:</i>
<ul style="list-style-type: none">• Obtain amenstrual history. Inquire about medication substance use (including ipecac), water loading, and a history of syncope or stress fractures.	<ul style="list-style-type: none">• Obtain a menstrual history. Inquire about medication substance use (including ipecac), water loading, and a history of syncope or stress fractures.

*Learning Objective 18: Immunizations

Page 119, Deep Dive > Vaccination Schedule

<i>Text currently reads:</i>	<i>Text should read:</i>
<ul style="list-style-type: none">• 2, 4, and 6 months of age: Give DTaP vaccine and either PCV15 or PCV20.	<ul style="list-style-type: none">• 2, 4, and 6 months of age: Give DTaP and IPV vaccine and either PCV15 or PCV20 (the 3rd dose of IPV can be given between 6-18 months.)

*Learning Objective 18: Immunizations

Page 119, Deep Dive > Vaccination Schedule

<i>Text currently reads:</i>	<i>Text should read:</i>
<ul style="list-style-type: none">• Give 2 doses, separated by \geq 4 weeks, in children 6 months to 8 years of age who have received < 2 doses prior to July 1, 2025.	<ul style="list-style-type: none">• Give 2 doses, separated by \geq 4 weeks, in children 6 months to 8 years of age who have received < 2 doses prior to July 1st of the given year.

*Featured Reading 04: Opioid Prescribing

Page 268, Deep Dive > Introduction

<i>Text currently reads:</i>	<i>Text should read:</i>
<ul style="list-style-type: none">• The guideline provides 12 key action statements based on evidence from randomized controlled trials, high-quality observational studies, and expert opinion.	<ul style="list-style-type: none">• The guideline provides 9 key action statements based on evidence from randomized controlled trials, high-quality observational studies, and expert opinion.

***These changes have been updated in both the digital and audio products.**